Kamloops Boom Lift License

Kamloops Boom Lift License - Only completely certified persons must operate an aerial boom lift. Qualification can be attained through a combination of classroom sessions and practical training with the specific kind of aerial lift that will be used on the job. A License is required for anyone who works on or operates an aerial boom lift.

Vehicle-mounted aerial devices consist of the following work vehicles: aerial ladders, extensible boom platforms, articulating boom platforms, vertical towers, and whatever combination of these kinds.

When making use of a boom lift, there are a few basic safety regulations that apply to all boom lifts. Safety of the worker is a top priority while they are working within the basket. The worker must at all times have on a body harness and lanyard, attaching it to the boom or basket. Never tie off to a structure, equipment or an adjacent pole. Personnel should stand on the floor of the basket, and never sit or climb on the basket edge. The load limitations of the manufacturer should be followed.

Aerial lift operators must be authorized to utilize the equipment. The operator has to know all the aspects of the device and should have access to the manufacturers manual which must be kept inside the lift. Operators are responsible for ensuring that safety measures are followed in operating the lift. Testing lift controls on a daily basis must be performed. Set brakes and position outriggers (if they are used) on a stable surface or on pads. If working on a slope, utilize wheel chocks.

Never move an aerial lift truck with an elevated boom whilst workers are within the basket. Extensible boom platforms and articulating boom made use of as personnel carriers should have plainly marked, accessible, upper controls. Except in emergency situations, lower controls must not be utilized to override upper controls unless the person within the lift gives permission.

While working from an aerial lift, do not wear tree or pole climbers.
The insulated part of the aerial lift must not be altered.
Do check the booms to make certain that it is correctly cradled and the outriggers are in the stowed position before moving.
Make certain that lifts being utilized near or in power lines are di-electrically tested and follow local regulations.